

CENTRALISE ITEMS (CONSUMABLE) OF CCL

SL NO	SL NO.	Code	Type & Class	Description
1	1	91020140023	Iron & steel(Class – 11&12)	MS Channel 100X50mm
2	2	91020140031	Iron & steel(Class – 11&12)	MS Channel 125X65mm
3	3	91020140114	Iron & steel(Class – 11&12)	MS Channel 150X75mm
4	4	91020140173	Iron & steel(Class – 11&12)	MS Channel 250X82mm
5	5	91020110112	Iron & steel(Class – 11&12)	MS Angle 50X50X6mm
6	6	91020110156	Iron & steel(Class – 11&12)	MS Angle 65X65X6mm
7	7	91020110171	Iron & steel(Class – 11&12)	MS Angle 75X75X6mm
8	8	91020110191	Iron & steel(Class – 11&12)	MS Angle 75X75X10mm
9	9	91020130098	Iron & steel(Class – 11&12)	RS Joist 200X100mm
10	10	91020130118	Iron & steel(Class – 11&12)	RS Joist 250X125mm
11	11	91020130121	Iron & steel(Class – 11&12)	RS Joist 300X140mm
12	12	91020130165	Iron & steel(Class – 11&12)	RS Joist 500X180mm
13	13	91020604114	Iron & steel(Class – 11&12)	Black Paint Sheet 3.15mm
14	14	91020600017	Iron & steel(Class – 11&12)	MS Plate 5mm
15	15	91020600475	Iron & steel(Class – 11&12)	MS Plate 6mm
16	16	91020601743	Iron & steel(Class – 11&12)	MS Plate 8mm
17	17	91020602063	Iron & steel(Class – 11&12)	MS Plate 10mm
18	18	91020602435	Iron & steel(Class – 11&12)	MS Plate 12mm
19	19	91020602767	Iron & steel(Class – 11&12)	MS Plate 16mm
20	20	91020603063	Iron & steel(Class – 11&12)	MS Plate 20mm
21	21	91020603826	Iron & steel(Class – 11&12)	MS Plate 25mm
22	22	91020400021	Iron & steel(Class – 11&12)	Steel Chequered Plate 6mm
23	23	95010280052	Iron & steel(Class – 11&12)	CGI Sheet 0.63mm x 1.00 x 3.00 Mtrs
24	24	91020604094	Iron & steel(Class – 11&12)	MS PLATE 1.6 MM
25	1	910-4004-0017	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-5size 20 mm
26	2	910-4004-0019	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-5 Size 32 mm
27	3	910-4004-0032	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-5 Size 36 mm
28	4	910-4004-0044	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-5 Size 45 mm
29	5	910-4003-0024	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-8 Size 63 mm
30	6	910-4003-0048	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-8 Size 70 mm
31	7	910-4003-0036	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-8 Size 80 mm
32	8	910-4003-0051	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-8 Size 100 mm
33	9	910-4003-0063	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-8 Size 110 mm
34	10	910-4005-0013	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-19 Size 50 mm
35	11	910-4005-0021	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-19 Size 55 mm
36	12	910-4005-0033	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-19 Size 90 mm
37	13	910-4005-0045	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-19 Size 100 mm
38	14	910-4005-0057	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-19 Size 110 mm
39	15	910-4001-0062	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-24 Size 130 mm
40	16	910-4001-0015	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-24 size 150 mm
41	17	910-4001-0074	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-24 size 170 mm
42	18	910-4001-0086	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-24 size 180 mm
43	19	910-4001-0027	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-24 size 200 mm
44	20	910-4001-0098	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-24 size 250 mm
45	21	910-4001-0106	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-24 size 260 mm
46	22	910-4002-0011	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-36 size 60 mm
47	23	910-4002-0067	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-36 size70 mm

48	24	910-4002-0079	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-36 size80 mm
49	25	910-4002-0031	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-36 size90 mm
50	26	910-4002-0082	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-36 size110 mm
51	27	910-4002-0094	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon Constructional Steel, EN-36 size130 mm
52	28	910-4017-0024	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon steel flat C30/C35/C40(tested quality) as per ISI-1875,75mmx20mmx2 mtr. Length
53	29	910-4017-0036	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon steel flat C30/ISI-1875, for manufacturing coal tub pins size -40mm
54	30	910-4017-0011	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon steel round C-50 ISI-1975 for for manufacturing coal tub D link size - 50mm
55	31	910-4017-0023	Alloy Steel & Tool Steel Class – 13 & 14)	Carbon steel round C-0.55 to 0.66% size 25mm
56	32	910-4017-0019	Alloy Steel & Tool Steel Class – 13 & 14)	Hot dia block steel H-12 size 300 mm x 125mm x 100mm
57	1	910-5305-0091	Alloy Steel & Tool Steel Class – 14)	High Speed Steel Square size ½"(12 mm)
58	2	910-5305-0103	Alloy Steel & Tool Steel Class – 14)	High Speed Steel Square size 1"(25 mm)
59	3	910-5305-0012	Alloy Steel & Tool Steel Class – 14)	High Speed Tool Steel Square size ½ "(12 mm)
60	4	910-5305-0036	Alloy Steel & Tool Steel Class – 14)	High Speed Tool Steel Square size 3/4 "(19 mm)
61	5	910-5305-0051	Alloy Steel & Tool Steel Class – 14)	High Speed Tool Steel Square size 1 "(25 mm)
62	6	910-5012-0123	Alloy Steel & Tool Steel Class – 14)	Carbon / Steel Square size ½" (12 mm)
63	7	910-5012-0253	Alloy Steel & Tool Steel Class – 14)	Carbon / Steel Square size 1' (25 mm)
64	8	910-5012-0376	Alloy Steel & Tool Steel Class – 14)	Carbon Steel Square size 1 -1/2" (37 mm)
65	9	910-5300-0004	Alloy Steel & Tool Steel Class – 14)	HSS Steel Bar Size ½"(12 mm)
66	2	920-1024-0003	Cotton Jute & Canvas Products (Class -23)	Brattice Cloth (Fire Proof size - 72")
67	3	920-1034-0012	Cotton Jute & Canvas Products (Class -23)	Tube canvas ventilation 22" dia x 25' long (0.56 Mtrs x 7.62 m long)
68	4	920-1034-0024	Cotton Jute & Canvas Products (Class -23)	Tube canvas ventilation 22" dia x 50' long (0.56 Mtrs x 15.2 Mtrs long)
69	1	920-3012-0027	P.O.L Class - 25	Servo Super 30/Bharat Actuma Super Oil 30/HDX Hylube
70	2	920-3012-0039	P.O.L Class - 25	Servo Super 40/Bharat Actuma Super Oil 40/HDX x 40Hylube
71	3	920-3013-0008	P.O.L Class - 25	Servo Lube/Bharat Tungone/Oil 30
72	4	920-3014-0012	P.O.L Class - 25	Servoneum 100/Bharat Matanel R-100 Numatic 100
73	5	920-3015-0029	P.O.L Class - 25	Servofriz 46/Bharat freezed 46/Seetul TC 46J 460
74	6	920-3016-0057	P.O.L Class - 25	Servo CVL c 460/Bharat Engol/Cyldol TC 46J 460
75	7	820-3021-0016	P.O.L Class - 25	Servo Tak - 40
76	8	920-3032-0026	P.O.L Class - 25	Servo Way-68/Bharat Matanol /68 Way Lube-86
77	9	920-3022-0012	P.O.L Class - 25	Servo Ultra-10/Bharat/Actuma Ultra Oil 10W/Hylube x 310 W
78	10	920-9022-0024	P.O.L Class - 25	Servo Ultra-30/Bharat/Actuma Ultra Oil 10W/Hylube x 330
79	11	920-9022-0032	P.O.L Class - 25	Servo Ultra-40/Bharat/Actuma Ultra Oil 10W/Hylube x 340
80	12	920-9024-0018	P.O.L Class - 25	Servo Gear HP 90/Bharat Spirol/90 Ep/HP Gear Oil EP 90
81	13	920-9024-0021	P.O.L Class - 25	Servo Gear HP 140/Bharat Spirol/ 140 Ep/HP Gear Oil EP 140
82	14	920-9025-0014	P.O.L Class - 25	Servo Gear Super 90/Bharat Spirol/90 HD HP Gear oil x LP 90
83	15	920-9025-0022	P.O.L Class - 25	Servo Gear Super 140/Bharat Spirol/140 HD HP Gear oil x LP 140
84	16	920-9026-0015	P.O.L Class - 25	Servo System - 32/Bharat Hydrol 32 Encllo-32/Balmarol Protomac - H1
85	17	920-9026-0027	P.O.L Class - 25	Servo System - 46/Bharat Hydrol 46 Encllo-46/Balmarol Protomac - H2
86	18	920-9026-0039	P.O.L Class - 25	Servo System - 57/Bharat Hydrol 68 Encllo-68/Balmarol Protomac - H3
87	19	920-9026-0042	P.O.L Class - 25	Servo System - 100/Bharat Hydrol 100 Encllo-100/Balmarol Protomac - H5
88	20	920-9026-0054	P.O.L Class - 25	Servo System - 121/150/Bharat Hydrel 150/ Encllo-150
89	21	920-9026-0062	P.O.L Class - 25	Servo System - 176/Bharat Hydrel 220 / Encllo-220

90	22	920-9026-0086	P.O.L Class - 25	Servo System - 460/Bharat Hydrel 460 / Enclo-460
91	23	920-9017-0038	P.O.L Class - 25	Servo Transmission C3 SAE 10/Power Glide -C-310
92	24	920-9017-0041	P.O.L Class - 25	Servo Transmission C3 SAE 30/Power Glide -C-330
93	25	920-9027-0011	P.O.L Class - 25	Servo Prime 32/Bharat Tubol 32/Turbinol-32
94	26	920-9027-0023	P.O.L Class - 25	Servo Prime 46/Bharat Tubol 60/Turbinol-16
95	27	920-9028-0036	P.O.L Class - 25	Turbine Oil 17/Turbine Oil 21/22
96	28	920-9029-0017	P.O.L Class - 25	OICC Brake Fluid/Bharat Brake Fluid
97	29	920-9028-0048	P.O.L Class - 25	Turbine Oil-46
98	30	920-9043-0004	P.O.L Class - 25	Servo Cut 'S'/Kool Kut-40
99	31	920-9045-0045	P.O.L Class - 25	Servo Mesh SP-320/Bharat Amocam Oil-320/Parchen EP-320
100	32	920-9045-0057	P.O.L Class - 25	Servo Mesh SP-460/Bharat Amocam Oil-460/Parchen EP-460
101	33	920-9045-0059	P.O.L Class - 25	Srvo Coat 190/Hy Tak-5 (Formerly Cardiam Compound) Balmarol Blue Coat 450
102	34	920-9029-0052	P.O.L Class - 25	Servo Hydrolic ,Brake Fluid
103	35	920-9029-0064	P.O.L Class - 25	Servo Hydrolic ,Brake Fluid Super-HD
104	36	920-9062-0022	P.O.L Class - 25	Light Diesel Oil (As per ISI460 1974)
105	37	920-9062-0019	P.O.L Class - 25	High Speed Diesel/HSD Oil
106	38	920-9063-0011	P.O.L Class - 25	Kerosen Oil
107	39	920-9065-0009	P.O.L Class - 25	Petrol(Motor Spirit)
108	40	920-9051-0009	P.O.L Class - 25	Transformer Oil
109	41	920-9072-0115	P.O.L Class - 25	Flushing Oil (Lubrex Flush 22)
110	42	920-9071-0011	P.O.L Class - 25	Servo Grease MP/Bharat Univex/ AHP Mubi Purpose Grease
111	43	920-9071-0031	P.O.L Class - 25	Servo Grease WB/Bharat WB Grease Special/HP Wheel Bearing Grease
112	44		P.O.L Class - 25	Balmo WB Grease
113	45	920-9071-0023	P.O.L Class - 25	Servo Grease C/Bharat Univex CD HP Chasis Grease/Balmarol Chasis
114	46	920-9071-0067	P.O.L Class - 25	Servo Gem-3/Bharat MP Grease -3Lithon-B
115	47	920-9071-0082	P.O.L Class - 25	Servo Gem EP 2/Bharat Lauthax 2 EP Grease-2 Lithone EP-2
116	48	920-9062-0034	P.O.L Class - 25	Coal Frother
117	49	920-9062-0042	P.O.L Class - 25	Floculant
118	50			DEO 15W40DH/ Tecton J Max 15W40/Rim R3/15W40CH4/ Servo Pride Supreme 15W40 API CI4
119	51			KOMATSU-TO30/Duesol TFC 4-30/Spirac S4 CX30/ Servo Transmission C4SAE30
120	52			HO46-HM/Hyspin AWS 46/ Rimula R3 10W/Servo System HLP-46
121	53			HO-MVK/ Tellus S2 M 46
122	55			TO50/ Transmax Offroad 50/ Spirax S4 CX 50 HP Powerflow TO4
123	1	93040140017	Cap Lamp Spares (Class – 33)	HEAD PIECE MOULDING
124	2	93040140029	Cap Lamp Spares (Class – 33)	Lock Barrel
125	3	93040140032	Cap Lamp Spares (Class – 33)	Lock Contact
126	4	93040140044	Cap Lamp Spares (Class – 33)	Lock Contact Screw
127	5	93040140052	Cap Lamp Spares (Class – 33)	Lock Barrel Wedge
128	6	93040140064	Cap Lamp Spares (Class – 33)	Lock Spring
129	7	93040140076	Cap Lamp Spares (Class – 33)	Cap Hook
130	8	93040140088	Cap Lamp Spares (Class – 33)	Securing Screw
131	9	93040140091	Cap Lamp Spares (Class – 33)	Securing Nut
132	10	93040140108	Cap Lamp Spares (Class – 33)	Spring Washer
133	11	93040140123	Cap Lamp Spares (Class – 33)	LARGE BULB SOCKET BLOCK
134	12	93040140131	Cap Lamp Spares (Class – 33)	Large Bulb Socket Screw
135	13	93040140143	Cap Lamp Spares (Class – 33)	Charging Contact Screw
136	14	93040140155	Cap Lamp Spares (Class – 33)	APPROVAL WASHER
137	15	93040140167	Cap Lamp Spares (Class – 33)	CABLE OUTLET GLAND
138	16	93040140179	Cap Lamp Spares (Class – 33)	Switch Knob
139	17	93040140182	Cap Lamp Spares (Class – 33)	Switch Knob Washer
140	18	93040140194	Cap Lamp Spares (Class – 33)	Switch blade with 3/16" grub Screw
141	19	93040140202	Cap Lamp Spares (Class – 33)	SWITCH CONNECTION
142	20	93040140214	Cap Lamp Spares (Class – 33)	Binder Head Screw 5/32"(4mm)
143	21	93040140222	Cap Lamp Spares (Class – 33)	Large Bulb Switch Contact Assembly
144	22	93040140258	Cap Lamp Spares (Class – 33)	Reflector (Beam)
145	23	93040140246	Cap Lamp Spares (Class – 33)	Head Piece Gasket
146	24	93040140261	Cap Lamp Spares (Class – 33)	Head Piece Glass
147	25	93040140273	Cap Lamp Spares (Class – 33)	LENS RING
148	26	93040140281	Cap Lamp Spares (Class – 33)	Lock Pin
149	27	93040141012	Cap Lamp Spares (Class – 33)	Cable Complete
150	28	93040141024	Cap Lamp Spares (Class – 33)	Cable Grip
151	29	93040141056	Cap Lamp Spares (Class – 33)	Cable terminal

152	30	93040141068	Cap Lamp Spares (Class – 33)	RUBBER SEALING COLLAR
153	31	93040141071	Cap Lamp Spares (Class – 33)	TERMINAL SLEEVE RED (HEADPIECE END)
154	32	93040141083	Cap Lamp Spares (Class – 33)	TERMINAL SLEEVE BLACK (HEADPIECE END)
155	33	93040141091	Cap Lamp Spares (Class – 33)	TERMINAL SLEEVE RED (BATTERY END)
156	34	93040141103	Cap Lamp Spares (Class – 33)	TERMINAL SLEEVE BLACK (BATTERY END)
157	35	93040142012	Cap Lamp Spares (Class – 33)	BATTERY COVER (PARTLY ASSEMBLY)
158	36	93040142024	Cap Lamp Spares (Class – 33)	LOCK CLAMP & BUSH ASSEMBLY
159	37	93040142036	Cap Lamp Spares (Class – 33)	SCREW FOR LOCKING PLATE
160	38	93040142048	Cap Lamp Spares (Class – 33)	CABLE GLAND (RUBBER)
161	39	93040142063	Cap Lamp Spares (Class – 33)	BINDER HEAD SCREW 3MM
162	40	93040142071	Cap Lamp Spares (Class – 33)	INSULATING PAD (PVC)
163	41	93040142083	Cap Lamp Spares (Class – 33)	CABLE LOCK
164	42	93040142139	Cap Lamp Spares (Class – 33)	FUSE
165	43	93040153012	Cap Lamp Spares (Class – 33)	CHARGER INDICATOR METER
166	44	93040153024	Cap Lamp Spares (Class – 33)	CHARGING KEY WITH NUT WASHER
167	45	93040153032	Cap Lamp Spares (Class – 33)	POSITIVE CLIP ASSEMBLY
168	46	93040164052	Cap Lamp Spares (Class – 33)	LAMP MEN'S PLIER
169	47	93040164064	Cap Lamp Spares (Class – 33)	LAMP MEN'S NIPPERS
170	48	93040164088	Cap Lamp Spares (Class – 33)	SPECIAL KEY FOR SLOTTED SCREW
171	49	93040164179	Cap Lamp Spares (Class – 33)	Topping up syringe (extra large)
172	50	93040164325	Cap Lamp Spares (Class – 33)	TOPPING UP SHEETS
173	51	93040164349	Cap Lamp Spares (Class – 33)	CAP LAMP LOG BOOK
174	52	93040110015	Cap Lamp Spares (Class – 33)	Cap lamp Complete
175	53	93040142186	Cap Lamp Spares (Class – 33)	Accumulator 'T' type
176	54	93040140234	Cap Lamp Spares (Class – 33)	Large bulb 4 V, 0.80 Amp/ 1Amp
234	1	930-5021-0016	Rubber Belting(Class- 34)	Rubber Belting 800 mm x 400 KNM
235	2	930-5021-0028	Rubber Belting(Class- 34)	Rubber Belting 900 mm x 400 KNM
236	3	930-5021-0031	Rubber Belting(Class- 34)	Rubber Belting 1000 mm x 500 KNM
237	4	930-5021-0043	Rubber Belting(Class- 34)	Rubber Belting 1050 mm x 500 KNM
238	5	930-5021-0051	Rubber Belting(Class- 34)	Rubber Belting 1200 mm x 500 KNM
239	6	930-5021-0063	Rubber Belting(Class- 34)	Rubber Belting 1200 mm x 630 KNM
240	7	930-5021-0075	Rubber Belting(Class- 34)	Rubber Belting 1200 mm x 1000 KNM
241	8	930-5021-0087	Rubber Belting(Class- 34)	Rubber Belting 1400 mm x 630 KNM
242	9	930-5022-0071	Rubber Belting(Class- 34)	1600mm Steel Cord ST 1120 8mm/5mm Coverage Grade M No.of Cords 130 pitch 12mm
243	10	930-5022-0012	Rubber Belting(Class- 34)	1600 mm 5 Ply PN Polyester Nylon 150, 10 mm Top 4 mm Bottom Cover Grade M 24 Sealed Edge Belting
244	11	930-5022-0032	Rubber Belting(Class- 34)	2000 mm 5 Ply PN Polyester Nylon 150, 10 mm Top 4 mm Bottom Cover Grade M 24 Sealed Edge Belting
245	12	930-5022-0044	Rubber Belting(Class- 34)	1000 mm 4 Ply PN Polyester Nylon 150, 6 mm Top 3 mm Bottom Cover Grade M 24 Sealed Edge Belting
246	13	930-5022-0056	Rubber Belting(Class- 34)	1400 mm 5 Ply PN Polyester Nylon 150, 6 mm Top 3 mm Bottom Cover Grade M 24 Sealed Edge Belting
247	14	930-5022-0068	Rubber Belting(Class- 34)	1600 mm 5Ply PNPolyester Nylon 150, 8 mm Top 3mm Bottom Cover Grade M 24 Sealed Edge Belting
248	15	930-5022-0068	Rubber Belting(Class- 34)	1400mm Steel Cord width 1400mm rating ST 1000 cover Top 8 mm bottom 5mm Grade M
249	1	930-5041-0015	Washery Belting (Class- 34)	650 mm x 630 KNM 4 Ply
250	2	930-5041-0027	Washery Belting (Class- 34)	750 mm x 630 KNM 4 Ply
251	3	930-5041-0039	Washery Belting (Class- 34)	800 mm x 630 KNM 4 Ply
252	4	930-5041-0042	Washery Belting (Class- 34)	900 mm x 500 KNM 3 Ply
253	5	930-5041-0054	Washery Belting (Class- 34)	1000 mm x 630 KNM 4 Ply
254	6	930-5041-0062	Washery Belting (Class- 34)	1000 mm x 1000 KNM 4 Ply
255	7	930-5041-0074	Washery Belting (Class- 34)	1200 mm x 800 KNM 4 Ply
256	8	930-5041-0086	Washery Belting (Class- 34)	1200 mm x 1250 KNM 4 Ply
257	9	930-5041-00698	Washery Belting (Class- 34)	1400 mm x 1000 KNM 5 Ply
258	10	930-5041-0106	Washery Belting (Class- 34)	1400 mm x 800 KNM 4 Ply
259	11	930-5041-0118	Washery Belting (Class- 34)	1600 mm x 630 KNM 4 Ply
260	1	930-5010-0021	PVC Belting (Class -34)	PVC Belting size 800 mm
261	2	930-5010-0033	PVC Belting (Class -34)	PVC Belting size 900 mm
262	3	930-5010-0041	PVC Belting (Class -34)	PVC Belting size 1000 mm
263	1	930-6020-0169	Haulage, Winding. & Guide Rope (Class- 35A)	Haulage Rope size 16 mm, 6 X 7 Construction
264	2	930-6020-0204	Haulage, Winding. & Guide Rope (Class- 35A)	Haulage Rope size 19 mm, 6 X 7 Construction
265	3	930-6020-0224	Haulage, Winding. & Guide Rope (Class- 35A)	Haulage Rope size 22mm, 6 X 7 Construction
266	4	930-6020-0251	Haulage, Winding. & Guide Rope (Class- 35A)	Haulage Rope size 26mm, 6 X 7 Construction

267	5	930-6030-0292	Haulage, Winding. & Guide Rope (Class- 35A)	Winding Rope size 29 mm
268	6	930-6030-0309	Haulage, Winding. & Guide Rope (Class- 35A)	Winding Rope size 32 mm
269	7	930-6030-0293	Haulage, Winding. & Guide Rope (Class- 35A)	Guide Rope size 29 mm
270	8	930-6010-0313	Haulage, Winding. & Guide Rope (Class- 35A)	Guide Rope size 32 mm
271	1	930-6090-0069	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 6mm-6X19 , RHL-IWRC
272	2	930-6161-0351	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 8mm-6X19 , RHL-IWRC
273	3	930-6161-0016	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 10mm-6X36 , RHL-IWRC
274	4	930-6161-0028	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 10mm-6X26 , RHL-IWRC
275	5	930-6090-0124	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 13mm-6X19 , RHL-IWRC
276	6	930-6161-0043	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 13mm-6X36 , RHL-IWRC
277	7	930-6161-0363	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 13mm-6X36 , RHO-IWRC
278	8	930-6161-0051	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 16mm-6X36 , RHL-IWRC
279	9	930-6161-0063	Engineering Wire Ropes (Class – 35)	Engg Wire Rope size 19mm,6X36 RHL,IWRC
280	10	930-6161-0373	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 20mm-6X36 , RHL-IWRC
281	11	930-6161-0087	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 22mm-6X36 , RHL-IWRC
282	12	930-6161-0099	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 29mm-6X36 , RHL-IWRC
283	13	930-6161-0107	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 32mm-6X36 , RHL-IWRC
284	14	930-6161-0383	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 35mm-6X36 , RHL-IWRC
285	15	930-6161-0134	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 38mm-6X36 , RHL-IWRC
286	16	930-6161-0292	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 45mm-6X49 , RHL-IWRC
287	17	930-6161-0181	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 52 mm 6X36 RHL-IWRC
288	18	930-6161-0395	Engineering Wire Ropes (Class – 35)	Engg. Wire Ropes size 52 mm, 1/105 RHL- IWRC X 13.945 Mtr
289	19	930-6161-0403	Engineering Wire Ropes (Class – 35)	Engg Wire Rope 52 mm, 6X41 F RHL IWRC X 99.06 M
290	20	930-6161-0415	Engineering Wire Ropes (Class – 35)	Engg Wire Rope 64 mm, 6/49 RHL IWRC X 17.32 M
291	1	930-7020-0014	Safety Wears (Class- 36)	Helmet Miner's Safety white complete with Lamp Brackets & Cable Clip. Heavy Duty (indigenously manufactured) from Fibre Sheets with Adjustable Head Bands As per ISS - 2925/1984
292	2	930-7064-0007	Safety Wears (Class- 36)	Miner's Safety Canvas Boots with steel toe,Cap rubber sole as per ISS : 397667
293	3	930-7060-0004	Safety Wears (Class- 36)	Miner's Safety Leather Shoes with rubber sole heavy steel cap as per ISS No. 198/73 Approved by DGMS,Dhanbad
294	4	930-7066-0004	Safety Wears (Class- 36)	Special Shoe Rubber Sole Water Proof for Female worker
295	5	930-7065-0003	Safety Wears (Class- 36)	Rubber Knee Boot (Gum Boot) ISS No.5557/1969
296	6	930-7070-0006	Safety Wears (Class- 36)	Water Bottle special quality Freezing armed 2 Ltrs Capacity
				No. of entitled persons should be mentioned for following items
297	1		Safety Wears (Class- 36)	Helmet
298	2		Safety Wears (Class- 36)	Miner's Safety Canvas Boot
299	3		Safety Wears (Class- 36)	Miner's Safety Leather Shoe
300	4		Safety Wears (Class- 36)	Special Shoe Rubber for Female
301	5		Safety Wears (Class- 36)	Gum Boot
302	6		Safety Wears (Class- 36)	Water Bottle
				Size-wise break up must be given for all types of shoes
303	1	940-3108-0014	Pipes (Class – 42A)	Pipes G.I screwed at both ends and socket at one end medium size 15mm

304	2	940-3108-0026	Pipes (Class – 42A)	Pipes G.I screwed at both ends and socket at one end medium size 20mm
305	3	940-3108-0038	Pipes (Class – 42A)	Pipes G.I screwed at both ends and socket at one end medium size 25mm
306	4	940-3108-0053	Pipes (Class – 42A)	Pipes G.I screwed at both ends and socket at one end medium size 40mm
307	5	940-3108-0061	Pipes (Class – 42A)	Pipes G.I screwed at both ends and socket at one end medium size 50mm
308	6	940-3108-0085	Pipes (Class – 42A)	Pipes G.I screwed at both ends and socket at one end medium size 80mm
309	7	940-3108-0097	Pipes (Class – 42A)	Pipes G.I screwed at both ends and socket at one end medium size 100 mm
310	8	940-3108-0117	Pipes (Class – 42A)	Pipes G.I screwed at both ends and socket at one end medium size 150 mm
311	9	940-3108-0129	Pipes (Class – 42A)	Pipes G.I screwed at both ends and socket at one end medium size 200 mm
312	10	940-3104-0134	Pipes (Class – 42A)	M.S. Pipe size 200 mm
313		94095110163	Pipes (Class – 42A)	ERW CARBAN STEEL PIPE 250 MM (273.1 MM OD)
314		94095110148	Pipes (Class – 42A)	ERW CARBAN STEEL PIPE 300 MM (323.9MM OD)
315	1	940-6010-0903	OTR Tyre Class - 45	12.00 x 20 - 20PR with Tube
316	2	940-6010-1041	OTR Tyre Class - 45	13.00 x 24 - 12PR with Tube
317	3	940-6010-1061	OTR Tyre Class - 45	13.60 x 28 - 6PR with Tube
318	4	940-6010-1085	OTR Tyre Class - 45	14.00 x 20 - 22PR (Tyre Tubeless) , ML-2
319	5	940-6010-1144	OTR Tyre Class - 45	14.00 x 24 - 20PR (Tyre Tubeless)
320	6	940-6010-1188	OTR Tyre Class - 45	14.00 x 25 - 24PR (Tyre Tubeless) , E3
321	7	940-6010-1361	OTR Tyre Class - 45	18.00 x 25 - 32PR E3 (Tyre Tubeless)
322	8	940-6010-1464	OTR Tyre Class - 45	21.00 x 35 - 36PR (Tyre Tubeless)
323	9	940-6010-1516	OTR Tyre Class - 45	24.00 x 25 - 36PR (Tyre Tubeless)
324	10	940-6010-1642	OTR Tyre Class - 45	24.00 x 49 - 48PR (Tyre Tubeless) , E4
325	11	940-6010-1619	OTR Tyre Class - 45	29.5 x 29 - 28PR (Tyre Tubeless) , L4
326	12	940-6010-1678	OTR Tyre Class - 45	23.5 x 25 - 12PR (Tyre Tubeless) , L5
327	13	940-6010-1602	OTR Tyre Class - 45	29.5 x 25 - 22PR (Tyre Tubeless)
328	14	940-6010-1231	OTR Tyre Class - 45	16.00 x 25 - 20PR (Tyre Tubeless)
329	15	940-6010-1681	OTR Tyre Class - 45	45/65 x 45 - 38PR (Tyre Tubeless) , L5
330	16	940-6010-1322	OTR Tyre Class - 45	18.00 x 25 - 12PR (Tyre Tubeless)
331	17	940-6010-1693	OTR Tyre Class - 45	18.00 x 32 - 28PR , E4
332	18	940-6010-1634	OTR Tyre Class - 45	35.00/65 x 35 - 24PR
333	19	940-6010-1679	OTR Tyre Class - 45	For O&K Crusher 30 R-51-46 PR,E4
334	20	940-6010-1677	OTR Tyre Class - 45	24.00 x 35 - 48PR , E4
335	21	940-6010-1676	OTR Tyre Class - 45	35.00/65 x 33 - 42PR , L5
336	22	940-6010-1675	OTR Tyre Class - 45	27.00 x 49 - 48PR , E4
337		94060600314	Automotive Battery (Class – 45(B)	Low maintenance Lead Acid Starter Batteries in Polypropylene/ABS container. Fully factory Charged, 12V-180 AH (minimum) - 20 hours discharge rate @ 27°C & CCA = 1100 Amp(Mimumum) @ (-) 18°C at 30seconds as per IEC 60095-1: 2006 (or updated) or JIS D 5301: 2006 (or updated) or IS 14257:1995 (updated)
338	3	94060600211	Automotive Battery (Class – 45(B)	BATTERY 12V 25 PLATE 180AH AS PER IS: 14257/1995
339	1	940-8106-0784	Electrodes &Gases (Class - 47)	Low heat input.Low hydrogen stick electrodes suitable for low alloy ,high tensile & medium carbon & problem steel,UTS :60-65 kgf/sq mm.Elongation :20-25% Current Rangs 120-160 amps for 4 mm dia electrodes
340	2	940-8106-0796	Electrodes &Gases (Class - 47)	(i) 3.15 x 350 mm
341	3	940-8106-0804	Electrodes &Gases (Class - 47)	(ii) 4.00 x 350 mm
				(iii) 5.00 x 350 mm
				Low heat input.Low hydrogen stick electrodes suitable for low alloy ,high tensile & medium carbon & problem steel having non-hydroscopic coating better impact resistance and ductility.,UTS :65-75 kgf/sq mm.Elongation :20-25% Current Rangs 135-155 amps for 4 mm dia electrodes
342	4	940-8106-0816	Electrodes &Gases (Class - 47)	(i) 3.15 x 350 mm
342	5	940-8106-0878	Electrodes &Gases (Class - 47)	(ii) 4.00 x 350 mm
344	6	940-8106-0831	Electrodes &Gases (Class - 47)	(iii) 5.00 x 350 mm

				<p>Low heat input stick electrodes suitable for joining Mn steel low alloy ,low medium carbon steel similar& dissimilar combination & other difficult steels.UTS :55-65 kgf/sq mm.Elongation :40-45% Current Rangs 85-140 amps for 4 mm dia electrodes</p>
345	7	940-8106-0843	Electrodes &Gases (Class - 47)	(i) 3.15 x 350 mm
346	8	940-8106-0851	Electrodes &Gases (Class - 47)	(ii) 4.00 x 350 mm
347	9	940-8106-0863	Electrodes &Gases (Class - 47)	(iii) 5.00 x 350 mm
				<p>Low heat input stick electrodes suitable for joining every steel including low ,medium,high alloy steel carbon steel spring steel,tool & die steel a dissimilar with unknown composition.UTS :80-85 kgf/sq mm.Elongation :20-30% Current Rangs 85-120 amps for 4 mm dia electrodes</p>
348	10	940-8601-0034	Electrodes &Gases (Class - 47)	(i) 3.15 x 350 mm
349	11	940-8601-0042	Electrodes &Gases (Class - 47)	(ii) 4.00 x 350 mm
350	12	940-8601-0054	Electrodes &Gases (Class - 47)	(iii) 5.00 x 350 mm
				<p>Extra low heat input stick electrodes suitable for superior machinable deposits on contaminated surface on all graphite (Nodular) and malleable cast iron as well as grey cast iron,also for welding of C.I to steel. UTS :30-40 kgf/sq mm.Current Rangs 85-120 amps for 4 mm dia electrodes</p>
350	13	940-8104-0070	Electrodes &Gases (Class - 47)	(i) 3.15 x 350 mm
352	14	940-8104-0071	Electrodes &Gases (Class - 47)	(ii) 4.00 x 350 mm
353	15	940-8104-0068	Electrodes &Gases (Class - 47)	(iii) 5.00 x 350 mm
				<p>Low heat input,wear facing stick electrods bearing high toughness, machinable and resistance to heavy shock & Impact and high abtrasive wear properties hardness : 25-35 RC,Current Rangs 110-125 amps for 4 mm dia electrodes</p>
354	16	940-8102-0023	Electrodes &Gases (Class - 47)	(i) 4.00 x 350 mm
355	17	940-8102-0047	Electrodes &Gases (Class - 47)	(ii) 5.00 x 350 mm
				<p>Low heat input stick electrodes suitable for tough overlays on MN & Alloy steel work hardened and long lasting under heavy impact ,shock & hammering.Deposited Hardness 85-90 RB,Work Hardened :35-45 RC,Current Range:130-140 amps for 4 mm dia electrodes</p>
356	18	940-8102-0161	Electrodes &Gases (Class - 47)	(i) 4.00 x 350 mm
357	19	940-8102-0153	Electrodes &Gases (Class - 47)	(ii) 5.00 x 350 mm
				<p>Low heat input stick electrodes wear facing alloy for protactive coatings for all ferrous metals,bearing high toughness and resistance to severe abrasion and deformation properties.Hardness :55-65 RC,Current Range:130-150 amps for 4 mm dia electrodes</p>
358	20	940-8102-0185	Electrodes &Gases (Class - 47)	(i) 4.00 x 350 mm
359	21	940-8102-0197	Electrodes &Gases (Class - 47)	(ii) 5.00 x 350 mm
				<p>Special electrodes for cutting and piercing producing exothermic.Arc and negligible slag.Current range 200-300 amps or 4 mm dia electrodes</p>
360	22	940-8106-0087	Electrodes &Gases (Class - 47)	(i) 4.00 x 350 mm
361	23	940-8106-0088	Electrodes &Gases (Class - 47)	(ii) 5.00 x 350 mm
				<p>Special electrodes for quaging and chamfering with high blowing effect and producing not exothermic Arc and negligible slag.Current range 300-400 amps or 4 mm dia electrodes</p>
362	24	940-8106-0464	Electrodes &Gases (Class - 47)	(i) 4.00 x 350 mm
363	25	940-8106-0452	Electrodes &Gases (Class - 47)	(ii) 5.00 x 350 mm

364	26	940-8201-0064	Electrodes &Gases (Class - 47)	Self shielding flux cored continious electrodes for crack resistance welding of steel casting, low carbon & alloy steel and sutable for multi-purpose application :UTS::55-65 kgf/sq mm.Elongation :20% minium,Current Rangs 225-320 amps for 2.8 mm dia, Size - 2.4/2.8mm
365	27	940-8201-0072	Electrodes &Gases (Class - 47)	Stainless steel flax cored cotinious electodes for joining and surfacing of any type of carbon steel to unknown steel :UPS::65-70 kgf/sq mm.Elongation :28% minium.Current Rangs 225-320 amps for 2.8mm dia size -2.4/2.8mm
366	28	940-8201-0084	Electrodes &Gases (Class - 47)	Flux cored continious with high chrome nickel based alloy for joining and surfacing of carbon steel,low and high alloy steel having unknown compositions.UTS 75-80Kgf/sq mm .Elongation :23-30%,Current Rangs 225-320 amps for 2.8mm dia size -2.4/2.8mm
367	29	940-8201-0096	Electrodes &Gases (Class - 47)	Submerged arc welding wire and flux for autometic welding process SAI wire conforming AWS 5.17 EL-8 & flux -10.71L size 3.15 mm
368	30	940-8101-0042	Electrodes &Gases (Class - 47)	Mild Steel (MS) Electrodes(General purpose all position) conforming to IS-814-1991/IS:814-2004.size (i) 3.15 x 350 mm
369	31	940-8101-0034	Electrodes &Gases (Class - 47)	Mild Steel (MS) Electrodes(General purpose all position) conforming to IS-814-1991/IS:814-2004.size (ii) 4.00 x 450 mm
370	32	940-8101-0032	Electrodes &Gases (Class - 47)	Mild Steel (MS) Electrodes(General purpose all position) conforming to IS-814-1991/IS:814-2004.size (iii) 5.00 x 450 mm
371	33	940-8500-0014	Electrodes &Gases (Class - 47)	Oxygen Gas in Cu-M
372	34	940-8500-0028	Electrodes &Gases (Class - 47)	Acetylene Gas in Cu-M
373	35	940-2060-0038	Electrodes &Gases (Class - 47)	Nitrogen Gas in Cu-M
374	1	94094480142	HEMM Trailing Cable (Class -48)	3.3 KV GRADE FLEXIBLE TRAILING CABLE OF 3X25 SQ MM(POWER CORES) + 2X25/2 SQ MM (EARTING CONDUCTORS) + 1X16 SQ.MM (PILOT CORE)
375	2	94094480119	HEMM Trailing Cable (Class -48)	6.35/11 KV GRADE FLEXIBLE TRAILING CABLE OF 3X25 SQ MM(POWER CORES) + 2X25/2 SQ MM (EARTING CONDUCTORS) + 1X16 SQ.MM (PILOT CORE)
376	2	94094510116	Other Than HEMM Trailing Cable (Class -48 A)	Cable trailing flexible 5 core 1100 V tough rubber seathed 6 sq mm (for coal drill cable)
377	4	94094510013	Other Than HEMM Trailing Cable (Class -48 A)	LHD trailing cable size 25 sq mm.
378	2	940-9455-0067	Power cable & Telephone cable(clas-48)	Polythine insulated & sheathed jelly filled ,20 pairs/0.63 mm steel tape armoured colour coded & twisted copper conductor confirming to relivent ITD specification(Tele cable)
379	3	940-9455-0079	Power cable & Telephone cable(clas-48)	Polythine insulated & sheathed jelly filled ,50 pairs/0.63 mm steel tape armoured colour coded & twisted copper conductor confirming to relivent ITD specification(Tele cable)
380	4	940-9428-0337	Power cable & Telephone cable(clas-48)	Cable mining armoured 2 core 1.1 KV 6 sq.mm of tinned annealed high conducting copper wire PVC insulated double round wire armoured(for lighting cable) as per IS 1554 part-1 for mining use
381	5	940-9429-0318	Power cable & Telephone cable(clas-48)	PVC insulated PVC sheathed double round wire armoured 11 KV x 3 core x 70 sq.mm copper conductor(power cable for mining area) as per IS 1554 part-II of 1981.
382	6	940-9435-0123	Power cable & Telephone cable(clas-48)	Cable mining PVC sheathed double round wire armoured heavy duty DGMS approved with copper conductor (for mining cable) as per IS 1554 part-II of 1981 3.3 KV x 3 core x 35 sq.mm

383	7	940-9435-0135	Power cable & Telephone cable(class-48)	Cable mining PVC sheathed double round wire armoured heavy duty DGMS approved with copper conductor (for mining cable) as per IS 1554 part-II of 1981 3.3 KV x 3 core x 50 sq.mm
384	8	940-9435-0147	Power cable & Telephone cable(class-48)	Cable mining PVC sheathed double round wire armoured heavy duty DGMS approved with copper conductor (for mining cable) as per IS 1554 part-II of 1981 3.3 KV x 3 core x 70 sq.mm
385	9	940-9435-0159	Power cable & Telephone cable(class-48)	Cable mining PVC sheathed double round wire armoured heavy duty DGMS approved with copper conductor (for mining cable) as per IS 1554 part-II of 1981 3.3 KV x 3 core x 120 sq.mm
386	10	940-9435-0162	Power cable & Telephone cable(class-48)	Cable mining PVC sheathed double round wire armoured heavy duty DGMS approved with copper conductor (for mining cable) as per IS 1554 part-II of 1981 3.3 KV x 3 core x 240 sq.mm
387	11	940-9435-0174	Power cable & Telephone cable(class-48)	Pliable armoured cable 1.1 KV x 4 core x 35 sq.mm overall dia 42 mm(for u/g degree III mines for use in transportable equipments)
388	1	940-9503-0072	Aluminium Conductors (Class- 48B)	All Aluminium Conductors size 125 Sq mm equivalent to "DOG" AAA Conductor
389	2	940-9503-0131	Aluminium Conductors (Class- 48B)	All Aluminium Conductors size 55 Sq mm equivalent to "Rabbit" AAA Conductor
390	3	940-9503-0037	Aluminium Conductors (Class- 48B)	All Aluminium Conductors size 173 Sq mm equivalent to "Wolf" AAA Conductor
391	23	940-9455-0055	Electro-technical Items (Class – 48C)	Telephone Cable 10 Pairs