Land Restoration / Reclamation Monitoring of Open Cast Coal Mines of Central Coalfields Limited Based on Satellite Data for the Year 2009





Land Restoration / Reclamation Monitoring of Open Cast Coal Mines of Central Coalfields Limited Based on Satellite Data for the Year 2009

March-2010

Remote Sensing Cell Geomatics Division CMPDI, Ranchi

CONTENTS

	Executive Summary	iii-v
1.0	Background	1
2.0	Objective	2
3.0	Methodology	2
4.0	Work plan	5
5.0	Land Reclamation in Central Coalfields Limited	7

Executive Summary

1.0 Project

Land restoration / reclamation monitoring of 5 opencast coal mines of Central Coalfields Ltd. (CCL) producing 5 million cu.m. and more (Coal+OB) per year based on satellite data, regularly on annual basis.

2.0 Objective

Objective of the land restoration / reclamation monitoring is to assess the area of backfilled, plantation, social forestry, active mining area, water bodies, and distribution of wasteland, agricultural land and forest in the leasehold area of the project. This will help in assessing the progressive status of mined land reclamation and to take up remedial measures, if any, required for environmental protection.

3.0 Salient Findings

- Out of the total mine leasehold area of 47.14 Km² of the 5 projects Viz. Ashoka, Piparwar, KD Hesalong, Rajrappa, and Parej East considered for monitoring during 2009-10; total mined out area is only 22.51 Km² (47.75%) of which 14.80 Km² area (65.75%) has been planted, 4.48 Km² area (19.90%) has been backfilled and 3.23 Km² area (14.35%) is under active mining. It is evident from the analysis that 85.65% areas of the OC projects has already been reclaimed and balance 14.35% area is under active mining. Project wise details are given in Table-1 & Fig -1.
- On comparing the status of land reclamation for the year 2008 vis-à-vis 2009 in different projects, it is evident from the analysis that area of land reclamation has increased in Ashoka OC from 1.43 Km² to 1.67 Km², in KDH from 1.77 Km² to 1.85 Km² and in Parej East OC from 0.62 Km² to 0.96 Km². Out of 5 projects of CCL considered for monitoring, Rajrappa is on top for land reclamation (94.82%) followed by KDH (93.91) and Piparwar (83.88%).
- Area of plantation has increased marginally in all the projects in span of one year. This increase in area of plantation is the result of the efforts of the coal company taken up towards environmental protection.

TABLE-1
Project wise Land Reclamation Status in OC projects of Central Coalfields Ltd
Based on Satellite data of the Year 2008 and 2009

		Area in Sq Km (% Calculated in respect of total mined out area))
			Plant	ation	Backfilled/OB		Active Mining Area		Total Mined out Area		Total Reclaimed Area	
		Leasehold	2008	2009	2008	2009	2008	2009	2008	2009	2008	2009
SI No.	Projects	i	ii		iii		iv		ii+iii+iv		ii+iii	
1	Ashoka	5.42	1.01	1.12	0.42	0.55	0.75	1.07	2.18	2.74	1.43	1.67
			46.33	40.88	19.27	20.07	34.40	39.05			65.60	60.95
2	Piparwar	11.20	4.63	4.73	1.20	1.10	1.18	1.12	7.01	6.95	5.83	5.83
			66.05	68.06	17.12	15.83	16.83	16.12			83.17	83.88
3	KDH	4.50	1.27	1.34	0.50	0.51	0.34	0.12	2.11	1.97	1.77	1.85
			60.19	68.02	23.70	25.89	16.11	6.09			83.89	93.91
4	Parej East	6.20	0.40	0.45	0.22	0.51	0.35	0.43	0.97	1.39	0.62	0.96
			41.24	32.37	22.68	36.69	36.08	30.94			63.92	69.06
5	Rajrappa*	19.82		7.16		1.81		0.49	0.00	9.46		8.97
				75.69		19.13		5.18				94.82
		47.14	7.31	14.80	2.34	4.48	2.62	3.23	12.27	22.51	9.65	19.28
			59.58	65.75	19.07	19.90	21.35	14.35	100.00	100.00	78.65	85.65

^{*} Satellite data for year 2008 is not available




Fig. 1 : Project wise Land Reclamation Status

1.0 Background

- All human activities are based on the land which is most scarce natural resource in our country. Per capita land availability in India is the lowest owing to high population density and less land mass. Out of total 329 million hectare (mha) land mass of the country, coal mining is limited to only on 0.10% (0.36mha) area. As per XI Plan, to meet the energy demand of the country, coal production would be raised to 680 million tonnes by the end of the year 2011-12 for which about 40,000 hectare of land would have to be acquired for coal mining projects. It has been envisaged that 85% coal production would be from opencast mines, which causes land degradation due to ground breaking. There is an urgent need to reclaim and restore the mined out land for its productive use for sustainable development of the coal mining. This will not only mitigate environmental degradation, but would also enable coal companies to offer the restored lands to displaced families which would help in creating a more congenial environment for land acquisition in future.
- Institute (CMPDI), Ranchi who has well equipped remote sensing facilities and capabilities to develop an effective system of surveillance for land reclamation/ restoration for all the opencast coal mines with production of more than 5 million cu. m. per annum (coal + OB taken together) based remote sensing satellite data, regularly on annual basis for sustainable development of mining operation within command area of CIL and its subsidiaries. The annual land reclamation/restoration status report of all such mines to be put on the website of CIL, (www.coalindia.nic.in), CMPDI (www.cmpdi.co.in) and the concerned coal companies in public domain. Detail report to be submitted to State Pollution Control Board and MoEF and concerned CIL's subsidiaries. Such monitoring would not only facilitate in taking timely mitigation measures against environmental degradation,

but would also enable coal companies to utilize the reclaimed land for larger socioeconomic benefits in a planned way.

1.3 CMPDI undertook the above assignment, and the present report is embodying the finding of the study in nutshell for the year 2009 for five projects of CCL viz. Ashoka, Piparwar, KDH, Parej East and Rajrappa. In addition to the above, analysis of Parej East was also carried out based on satellite data of 2008. Analysis of Rajpappa for the year 2008 could not be made due to non availability of satellite data in NRSC archive.

2.0 Objective

Objective of the land reclamation/restoration monitoring is to assess the area of backfilled, plantation, OB dumps, social forestry, active mining area, settlements and water bodies, distribution of wasteland, agricultural land and forest land in the leasehold area of the project. This is an important step taken up for assessing the progressive status of mined land reclamation and for taking up remedial measures, if any, required for environmental protection.

3.0 Methodology

There are number of steps involved between raw satellite data procurement and preparation of final map. National Remote Sensing Centre (NRSC) Hyderabad, being the nodal agency for satellite data supply in India, provides only raw digital satellite data, which needs further digital image processing for extracting the information and map preparation before uploading the same in the website. Methodology for land reclamation monitoring is given in given in fig 2. Following steps are involved in land reclamation /restoration monitoring:




Figure: 2 Methodology for Land Reclamation Monitoring

- **3.1 Data Procurement:** After browsing the data quality and date of pass on internet, supply order for data is placed to NRSC. Secondary data like leasehold boundary, topo sheets are procured for creation of vector database.
- **3.2 Satellite Data Processing:** Satellite data are processed using ERDAS IMAGINE digital image processing s/w. Methodology involves the following major steps:
 - Rectification & Georeferencing: Inaccuracies in digital imagery may occur due to 'systematic errors' attributed to earth curvature and rotation as well as 'non-systematic errors' attributed to satellite receiving station itself. Raw digital images contain geometric distortions, which make them unusable as maps.

Therefore, georeferencing is required for correction of image data using ground control points (GCP) to make it compatible to Sol toposheet.

• **Image enhancement**: To improve the interpretability of the raw data, image enhancement is necessary. local operations modify the value of each pixel based on brightness value of neighbouring pixels using ERDAS IMAGINE 9.3 s/w. and enhance the image quality for interpretation.

Training set selection

Training set requires to be selected, so that software can classify the image data accurately. The image data are analysed based on the interpretation keys. These keys are evolved from certain fundamental image-elements such as tone/colour, size, shape, texture, pattern, location, association and shadow. Based on the image-elements and other geo-technical elements like land form, drainage pattern and physiography; training sets were selected/identified for each land use/cover class. Field survey was carried out by taking selective traverses in order to collect the ground information (or reference data) so that training sets are selected accurately in the image. This was intended to serve as an aid for classification.

Classification and Accuracy assessment

Image classification is carried out using the maximum likelihood algorithm. The classification proceeds through the following steps: (a) calculation of statistics [i.e. signature generation] for the identified training areas, and (b) the decision boundary of maximum probability based on the mean vector, variance, covariance and correlation matrix of the pixels. After evaluating the statistical parameters of the training sets, reliability test of training sets is conducted by measuring the statistical separation between the classes that resulted from

computing divergence matrix. The overall accuracy of the classification was finally assessed with reference to ground truth data.

Area calculation

The area of each land use class in the leasehold is determined using ERDAS IMAGINE v. 9.3 s/w.

Overlay of Vector data base

Vector data base created based on secondary data. Vector layer like drainage, railway line, leasehold boundary, forest boundary etc. are superimposed on the image as vector layer in the Arc GIS database.

Pre-field map preparation

Pre-field map is prepared for validation of the classification result

3.3 Ground Truthing:

Selective ground verification of the land use classes are carried out in the field and necessary corrections if required, are incorporated before map finalization.

3.4 Land reclamation database on GIS:

Land reclamation database is created on GIS platform to identify the temporal changes identified from satellite data of different cut-off dates.

4.0 Work Plan

4.1 Opencast projects of CCL producing more than 5 million cubic m. (Coal + OB together) during the year 2008/09 have been taken up for land restoration / reclamation monitoring based on the RESOURCESAT-1(LISS-IV) satellite data using ERDAS Imaging digital image processing s/w on GIS platform. Land

reclamation monitoring will be carried out regularly on annual basis to assess the progressive status of land restoration / reclamation in the above opencast mines. The report of this study has also been uploaded in the website of CMPDI, CIL & CCL in public domain.

5.0 Land Reclamation Status in Central Coalfields Ltd.

- 5.1 Following 5 OC projects producing more than 5 million cubic m. (Coal + OB together) of Central Coalfields Ltd. have been taken up for land reclamation monitoring on annual basis:
 - Ashoka
 - Piparwar
 - KD Hesalong
 - Parej East
 - Rajrappa
- 5.2 Area statistics of different land use classes present in OC projects in the year 2009 is given in Table 4.1. Land use maps derived from the satellite data is given in Plate no. 4.1 to 4.5. Changes in land use status are shown in Fig. 4.1 4.5.
- 5.4 Study reveals that 85.65% of mining area has already been reclaimed by CCL out of which 65.75% area has been revegitated and 19.90% area are backfilled.
- 5.5 After analyzing the satellite data of year 2008 vs. 2009, it is evident that plantation carried out on backfilled area, OB dumps as well as under social forestry in all the mines of CCL has marginally increased in span of last one year.

Table-8.1 STATUS OF LAND RECLAMATION IN CENTRAL COALFIELDS LTD. BASED ON SATELLITE DATA OF THE YEAR 2009

		Ash	Ashoka		Piparwar		KD Hesalong			pag	Parej East	
		Area	%	Area	%	Area	%	Α	rea	%	Area	%
	Dense Forest	0	0.00	0.01	0.09	0.02	0.44		0.25	1.26	0.02	0.32
	Omen Ferret	0.00	40.55	0.00	7.05	0.40	4.00		0.54	0.70	4.40	22.00
	Open Forest	0.68	12.55	0.89	7.95	0.19	4.22		0.54	2.72	1.43	23.06
ءِ ا	Scrubs	0.75	13.84	0.72	6.43	1.00	22.22		5.99	30.22	1.61	25.97
Vegetation Cover	Total Forest	1.43		1.62	14.46	1.21	26.89		6.78	34.21	3.06	49.35
	Social Forestry	0.33	6.09	2.38	21.25	0.09	2.00		1.71	8.63	0.08	1.29
	Plantation on OB Dump	0.79		2.35	20.98	1.25	27.78		5.45	27.50	0.37	5.97
	Total Plantation	1.12		4.73	42.23	1.34	29.78	_	7.16	36.13	0.45	7.26
-	Total Vegetation(A)	2.55	47.05	6.35	56.70	2.55	56.67		13.94	70.33	3.51	56.61
	Active Mining Area	0.71	13.10	0.75	6.70	0.05	1.11		0.23	1.16	0.39	6.29
	Active mining Area	0.71	10.10	0.70	0.70	0.00	1.11		0.20	1.10	0.00	0.00
	Advance quarry site	0.36	6.64	0.37	3.30	0.07	1.56		0.26	1.31	0.04	0.65
ß												
Mining Area	Barren OB Dump	0.55	10.15	1.10	9.82	0.51	11.33		1.81	9.13	0.51	8.23
ng												
lini	Barren backfilled area	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00		
-	Cool Dumm	0.45	0.77	0.55	4.04	0.04	0.00		0.40	0.50	0.45	0.40
	Coal Dump	0.15	2.77	0.55	4.91	0.04	0.89		0.10	0.50	0.15	2.42
	Waterfilled quarry	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00		
	Total Mining Area(B)	1.77	32.66	2.77	24.73	0.67	14.89		2.40	12.11	1.09	17.58
	3 · · · · · · · · · · · · · · · · · · ·		5			0.07	7 1100			12.11	7100	
<u>e</u>	Crop lands	0.2	3.69	0.21	1.88	0.00	0.00		0.24	1.21	0.63	10.16
Agriculture												
ji.	Fallow Land	0.55		0.36	3.21	0.00	0.00		1.03	5.20	0.01	0.16
Α̈́	Total Agricultural(C)	0.75	13.84	0.57	5.09	0.00	0.00		1.27	6.41	0.64	10.32
-	Wastalanda	0.26	4.80	0.22	1.96	0.76	16.89		0.79	3.99	0.08	1.29
	Wastelands	0.20	4.00	0.22	1.90	0.76	10.09		0.79	3.99	0.00	1.29
nds	Fly Ash Pond	0.00	0.00	0.00	0.00	0.00	0.00					
Wastelands					0.00							
	Sand Body	0.00	0.00	0.01	0.09	0.00	0.00		0.04	0.20		
≥	Total Wastelands(D)	0.26	4.80	0.23	2.05	0.76	16.89		0.83	4.19	0.08	1.29
Settlements									- / -			
	Urban Settlement	0.00	0.00	0.00	0.00	0.24	5.33		0.18	0.91	0.23	3.71
	Dural Cattlement	0.07	4.00	٥٠٠	4.04	0.00	0.00		0.40	0.47	0.40	0.77
	Rural Settlement	0.07	1.29	0.55	4.91	0.00	0.00		0.43	2.17	0.42	6.77
	Industrial Settlement	0.00	0.00	0.41	3.66	0.01	0.22		0.21	1.06	0.03	0.48
	Total Settelements(E)	0.07	1.29	0.96	8.57	0.25	5.56		0.82	4.14	0.68	10.97
es	(=)	3.01		5.50	V.V.	1.20	5.50		,,,,_		7.50	
Waterbodies	Waterbodies(F)	0.02	0.37	0.32	2.86	0.27	6.00		0.56	2.83	0.20	3.23
terk												
```	Total(A+B+C+D+E+F)	5.42		11.20		4.50	100.00		19.82	100.00	6.20	100.00
	Note: i) The colour of the cla	eses correspond	to the colour	rs on the Lar	nd Use Man							

Note : i) The colour of the classes correspond to the colours on the Land Use Map

ii) Area in Sq. Km.




Plate - 4.1








Plate – 4.4



Plate - 4.5



Plate - 4.6




Figure 4.1




Figure 4.2




Figure 4.3




Figure 4.4




Figure 4.5



Photograph: Plantation on OB Dump at Piparwar OCP



Photograph: Plantation on OB Dump at KDH Hesalong OCP



Photograph: Plantation on OB Dump at Rajrappa OCP



# Central Mine Planning & Design Institute Ltd. (A Subsidiary of Coal India Ltd.)

Gondwana Place, Kanke Road, Ranchi 834031, Jharkhand
Phone: (+91) 651 2230001, 2230002, 2230483, FAX (+91) 651 2231447, 2231851
Website: www.cmpdi.co.in, Email: cmpdihq@cmpdi.co.in