
NORTH URIMARI OCP 2011

Land Restoration / Reclamation Monitoring of less than 5 m cu. m. (Coal + OB) Capacity Open Cast Coal Mines of Central Coalfields Limited Based on Satellite Data for the Year 2011



Submitted to:

Central Coalfields Limited Ranchi, Jharkhand



Land Restoration / Reclamation Monitoring of less than 5 m. cu. m (Coal + OB) capacity Open Cast Coal Mines of Central Coalfields Limited Based on Satellite Data for the Year 2011

March-2012



Remote Sensing Cell Geomatics Division CMPDI, Ranchi

CONTENTS

Exe	cutive Summary	iv-vi
1.0	Background	1
2.0	Objective	2
3.0	Methodology	2
4.0	Land Reclamation in Central Coalfields Limited	5

List of Tables

Table-1	Project wise Land Reclamation Status	V
Table-2	Area Statistics of Land Use Classes in OC Mines	6-7

List of Plates

Plate-1	Land Use Map of Rohini OCP	08
Plate -2	Land Use Map of Purnadih OCP	09
Plate -3	Land Use Map of Tapin OCP	10
Plate -4	Land Use Map of Jharkhand OCP	11
Plate-5	Land Use Map of Topa OCP	12
Plate-6	Land Use Map of Urimari OCP	13
Plate-7	Land Use Map of North Urimari OCP	14
Plate-8	Land Use Map of New Giddi-C OCP	15
Plate-9	Land Use Map of Govindpur PH-II OCP	16
Plate-10	Land Use Map of Khasmahal OCP	17
Plate-11	Land Use Map of Amlo OCP	18
Plate-12	Land Use Map of Selected Dhori OCP	19
Plate-13	Land Use Map of Tarmi OCP	20

List of Figures

Figure-1	Bar-Chart of Projectwise Status	vi
Figure-2	Methodology of Land Reclamation Monitoring	03
Figure-3	Bar-Chart of Land Reclamation Status of Rohini OCP	21
Figure-4	Bar-Chart of Land Reclamation Status of Purnadih OCP	21
Figure-5	Bar-Chart of Land Reclamation Status of Tapin OCP	22
Figure-6	Bar-Chart of Land Reclamation Status of Jharkhand OCP	22
Figure-7	Bar-Chart of Land Reclamation Status of Topa OCP	23
Figure-8	Bar-Chart of Land Reclamation Status of Urimari OCP	23
Figure-9	Bar-Chart of Land Reclamation Status of North urimari OCP	24
Figure-10	Bar-Chart of Land Reclamation Status of New Giddi-C OCP	24
Figure-11	Bar-Chart of Land Reclamation Status of Govindpur PH-II OCP	25
Figure-12	Bar-Chart of Land Reclamation Status of Khasmahal OCP	25
Figure-13	Bar-Chart of Land Reclamation Status of Amlo OCP	26
Figure-14	Bar-Chart of Land Reclamation Status of Selected Dhori OCP	26
Figure-15	Bar-Chart of Land Reclamation Status of Tarmi OCP	27

List of Photographs

Photo-1	Plantation on External OB (Urimari OCP)	28
Photo-2	Plantation on External OB (Urimari OCP)	28
Photo-3	Plantation on External OB (Amlo OCP)	29
Photo-4	Plantation on Internal OB/Backfill (Khasmahal OCP)	29
Photo-5	Plantation on External OB (Govindpur PH-II OCP)	30

Executive Summary

- 1.0 Project Land restoration / reclamation monitoring of 13 opencast coal mines of Central Coalfields Ltd. (CCL) producing less than 5 million cu. m. (Coal + OB) per year based on satellite data, on every three year basis.
- 2.0 Objective Objective of the land restoration / reclamation monitoring is to assess the area of backfilled, plantation, social forestry, active mining area, water bodies, and distribution of wasteland, agricultural land and forest land in the leasehold area of the various projects. This will help in assessing the progressive status of mined out land reclamation and to take up remedial measures, if any, required for environmental protection.

3.0 Salient Findings


- Out of the total mine leasehold area of 5415.03 hectares of the 13 OC projects Viz. Rohini, Purnadih, Tapin, Jharkhand, Topa, Urimari, North Urimari, New Giddi-C, Govindpur PH-II, Khasmahal, Amlo, Selected Dhori and Tarmi considered for monitoring during year 2011; total excavated area is only 1375.96 ha (25.42%) out of which 293.89 ha area (21.36%) has been planted, 523.79 ha area (38.07%) has been backfilled and 558.28 ha area (40.57%) is under active mining. It is evident from the analysis that 59.43% area of the OC projects have already been reclaimed and balance 40.57% area is under active mining. Project wise details are given in Table-1 & Fig -1.
- Of the total area reclaimed by the Coal companies, 21.36% is under biological reclamation (plantation) and 38.07% is under technical reclamation.

TABLE-1

Project wise Land Reclamation Status in OC projects of Central Coalfields Ltd Based on Satellite data of the Year 2011

			Plantation	Backfilled/OB	Active Mining Area	Total Excaveted Area	Total Reclaimed Area
SI No.	Projects	Leasehold	2011	2011	2011	2011	2011
1	Rohini	263.00	55.00	24.00	33.00	112.00	79.00
			49.11	21.43	29.47		70.54
2	Purnadih	751.00	0.00	6.00	13.00	19.00	6.00
			0.00	31.58	68.43		31.58
3	Tapin	503.00	29.00	53.00	58.00	140.00	82.00
			20.72	37.86	41.43		58.57
4	Jharkhand	740.00	31.00	100.00	19.00	150.00	131.00
			20.67	66.67	12.67		87.33
5	Тора	674.00	92.00	57.00	38.00	187.00	149.00
			49.20	30.49	20.33		79.68
6	Urimari	243.09	8.01	51.63	43.60	103.24	59.64
			7.76	50.01	42.24		57.77
7	North Urimari	516.90	5.37	18.98	39.00	63.35	24.35
			8.48	29.97	61.57		38.44
8	New Giddi C	275.00	15.20	26.28	32.30	73.78	41.48
			20.61	35.62	43.78		56.22
9	Govindpur PH-II	206.00	7.61	26.91	30.12	64.64	34.52
			11.78	41.64	46.60		53.40
10	khasmahal	280.00	32.48	36.72	31.85	101.05	69.20
			32.15	36.34	31.52		68.48
11	Amlo	247.59	13.23	48.39	48.18	109.80	61.62
			12.05	44.08	43.88		56.12
12	Selected Dhori	456.75	3.81	60.83	140.13	204.77	64.64
			1.87	29.71	68.44		31.57
13	Tarmi	258.70	1.18	14.05	32.10	47.33	15.23
			2.50	29.69	67.83		32.18
	Total	5415.03	293.89	523.79	558.28	1375.96	817.68
	1		21.36	38.07	40.57	25.42	59.43

CMPDI



1.0 Background

- 1.1 Land is the most important natural resource which embodies soil, water, flora, fauna and total ecosystem. All human activities are based on the land which is the most scarce natural resource in our country. Mining is a site specific industry and it could not be shifted anywhere else from the location where mineral occurs. It is a fact that surface mining activities do effect the land environment due to ground breaking. Therefore, there is an urgent need to reclaim and restore the mined out land for its productive use for sustainable development of mining. This will not only mitigate environmental degradation, but would also help in creating a more congenial environment for land acquisition by coal companies in future.
- 1.2 Keeping above in view, Coal India Ltd. (CIL) issued a work order vide letter no. CIL/WBP/Env/2009/2428 dated 29.12.2009 to Central Mine Planning & Design Institute (CMPDI), Ranchi, for monitoring land reclamation. status of all the opencast coal mines having production of more than 5 million m³ per annum (coal + OB taken together per annum) based on remote sensing satellite data, regularly on annual basis for sustainable development of Further, another work order vide mining. letter no. CIL/WBP/ENV./2011dated23/08/11 was issued by CIL for monitoring of less than 5 million m³ per annum capacity (Coal +OB) projects from the year 2011 at interval of three years. The result of land reclamation status of all such mines to be put on the website of CIL, (<u>www.coalindia.in</u>), CMPDI (<u>www.cmpdi.co.in</u>) and the concerned coal companies in public domain. Detail report to be submitted to Coal India and respective subsidiaries.
- 1.3 Land reclamation monitoring of all opencast coal mining projects would also comply the statutory requirements of Ministry of Environment & Forest (MoEF).Such monitoring would not only facilitate in taking timely mitigation measures against environmental degradation, but would also enable coal companies to utilize the reclaimed land for larger socio-economic benefits in a planned way.

1.4 Present report is embodying the finding of the study based on satellite data of the year 2011 carried out for 13 OC projects of Central Coalfields Ltd. producing less than 5 mcm (Coal+OB) per annum.

2.0 Objective

Objective of the land reclamation/restoration monitoring is to assess the area of backfilled, plantation, OB dumps, social forestry, active mining area, settlements and water bodies, distribution of wasteland, agricultural land and forest land in the leasehold area of the project. This is an important step taken up for assessing the progressive status of mined land reclamation and for taking up remedial measures, if any, required for environmental protection.

3.0 Methodology

There are number of steps involved between raw satellite data procurement and preparation of final map. National Remote Sensing Centre (NRSC) Hyderabad, being the nodal agency for satellite data supply in India, provides only raw digital satellite data, which needs further digital image processing for extracting the information and map preparation before uploading the same in the website. Methodology for land reclamation monitoring is given in given in fig 2. Following steps are involved in land reclamation /restoration monitoring:




Figure: 2 Methodology for Land Reclamation Monitoring

- **3.1 Data Procurement:** After browsing the data quality and date of pass on internet, supply order for data is placed to NRSC. Secondary data like leasehold boundary, topo sheets are procured for creation of vector database.
- **3.2** Satellite Data Processing: Satellite data are processed using ERDAS IMAGINE digital image processing s/w. Methodology involves the following major steps:
 - Rectification & Georeferencing: Inaccuracies in digital imagery may occur due to 'systematic errors' attributed to earth curvature and rotation as well as 'non-systematic errors' attributed to satellite receiving station itself. Raw digital images contain geometric distortions, which make them unusable as maps. Therefore, georeferencing is required for correction of image data using ground control points (GCP) to make it compatible to SOI toposheet.
 - Image enhancement: To improve the interpretability of the raw data, image enhancement is necessary. Local operations modify the value of each pixel based on brightness value of neighbouring pixels using ERDAS IMAGINE 9.0 s/w. and enhance the image quality for interpretation.

• Training set selection

Training set requires to be selected, so that software can classify the image data accurately. The image data are analysed based on the interpretation keys. These keys are evolved from certain fundamental image-elements such as tone/colour, size, shape, texture, pattern, location, association and shadow. Based on the image-elements and other geo-technical elements like land form, drainage pattern and physiography; training sets were selected/identified for each land use/cover class. Field survey was carried out by taking selective traverses in order to collect the ground information (or reference data) so that training sets are selected accurately in the image. This was intended to serve as an aid for classification.

Classification and Accuracy assessment

Image classification is carried out using the maximum likelihood algorithm. The classification proceeds through the following steps: (a) calculation of statistics [i.e. signature generation] for the identified training areas, and (b) the decision boundary of maximum probability based on the mean vector, variance, covariance and correlation matrix of the pixels. After evaluating the statistical parameters of the training sets, reliability test of training sets is conducted by measuring the statistical separation between the classes that resulted from computing divergence matrix. The overall accuracy of the classification was finally assessed with reference to ground truth data.

• Area calculation

The area of each land use class in the leasehold is determined using ERDAS IMAGINE v. 9.0 software and given in table 2.

• Overlay of Vector data base

Vector data base created based on secondary data. Vector layer like drainage, railway line, leasehold boundary, forest boundary etc. are superimposed on the image as vector layer in the Arc GIS database.

• Pre-field map preparation

Pre-field map is prepared for validation of the classification result

3.3 Ground Truthing:

Selective ground verification of the land use classes are carried out in the field and necessary corrections if required, are incorporated before map finalization.

3.4 Land reclamation database on GIS:

Land reclamation database is created on GIS platform to identify the temporal changes identified from satellite data of different cut-off dates.

4.0 Land Reclamation Status in Central Coalfields Ltd.

4.1 Following 13 OC projects producing less than 5 million m³. (Coal + OB together) of Central Coalfields Ltd. have been taken up during the year 2011 for land reclamation monitoring:

- Rohini
- Purnadih
- Tapin
- Jharkhand
- Topa
- Urimari
- North Urimari
- New Giddi-C
- Govindpur PH-II
- Khasmahal
- Amlo
- Selected Dhori
- Tarmi
- 4.2 Area statistics of different land use classes present in OC projects in the year 2011 is given in Table 2. Land use maps derived from the satellite data is given in Plate no. 1 to 13. Land use statuses are shown in Fig. 3 7 and field photographs showing plantation and backfilled area in mining projects are shown in photos 1-6.
- 4.3 Study reveals that 59.43% of excavated area has already been reclaimed by CCL in the OC projects, out of which 21.36% area has been revegitated and 38.07% area are backfilled.
- **4.4** After analyzing the satellite data of year 2011, it is evident that plantation carried out on backfilled area, OB dumps as well as under social forestry in all the 13 mines of CCL taken up for study, has reached 21.36 % till now. It can also be seen from the table.1 that the total area of reclamation has reached 59.43% till the year 2011.

	Area in Hecta												
		Roł			adih		pin	Jhark			ра		
ä		Area	%	Area	%	Area	%	Area	%	Area	%		
Forest	Dense Forest	0.00	0.00	63.00	8.39	0.00	0.00	5.00	0.68	0.00	0.00		
Ē	Open Forest	27.00	10.27	67.00	8.92	107.00	21.27	170.00	22.97	66.00	9.79		
	Total Forest	27.00	10.27	130.00	17.31	107.00	21.27	175.00	23.65	66.00	9.79		
Scrul	Scrubs	81.00	30.80	338.00	45.01	77.00	15.31	287.00	38.78	247.00	36.65		
	Social Forestry	1.00	0.38	0.00	0.00	6.00	1.19	6.00	0.81	11.00	1.63		
Plantation	Plantation on OB Dump	54.00	20.53	0.00	0.00	23.00	4.57	25.00	3.38	81.00	12.02		
ant	Total Plantation(Biological Reclamation)	55.00	20.91	0.00	0.00	29.00	5.77	31.00	4.19	92.00	13.65		
Ē	Total Vegetation	163.00	61.98	468.00	62.32	213.00	42.35	493.00	66.62	405.00	60.09		
50	Coal Quarry	24.00	9.13	13.00	1.73	57.00	11.33	6.00	0.81	25.00	3.71		
nin	Coal Face	1.00	0.38	0.00	0.00	0.00	0.00	1.00	0.14	0.00	0.00		
Ň	Advance quarry site	7.00	2.66	0.00	0.00	0.00	0.00	0.00	0.00	9.00	1.34		
Active Mining	Coal Dump	1.00	0.38	0.00	0.00	1.00	0.20	12.00	1.62	4.00	0.60		
Ac	Total Active Mining Area	33.00	12.55	13.00	1.73	58.00	11.53	19.00	2.57	38.00	5.64		
	Barren OB Dump	24.00	9.13	6.00	0.80	53.00	10.54	100.00	13.51	57.00	8.46		
Je	Barren backfilled area												
	Waterfilled quarry												
eclai	Total Area Under Technical Reclamation	24.00	9.13	6.00	0.80	53.00	10.54	100.00	13.51	57.00	8.46		
ž	Total Area Under Technical Reclamation	24.00	5.15	0.00	0.80	55.00	10.34	100.00	15.51	57.00	0.40		
	Total Area Under Mine Oparation	57.00	21.67	19.00	2.53	111.00	22.07	119.00	16.08	95.00	14.09		
ıre	Crop lands	0.00	0.00	101.00	13.45	47.00	9.34	0.00	0.00	0.00	0.00		
ultı	Fallow Land	7.00	2.66	91.00	12.11	1.00	0.20	14.00	1.89	0.00	0.00		
Agriculture	Total Agricultural	7.00	2.66	192.00	25.56	48.00	9.54	14.00	1.89	0.00	0.00		
		12.00	4.56	43.00	5.73	20.00	3.98	42.00	5.68	101.00	14.99		
and	Fly Ash Pond												
Wastelands	Sand Body	2.00	0.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
Wa	Total Wastelands	14.00	5.32	43.00	5.73	20.00	3.98	42.00	5.68	101.00	14.99		
s	Unken Cettlement	0.00	0.00	0.00	0.00	44.00	8.75	32.00	4.32	31.00	4.60		
nent	Rural Settlement	0.00	0.00	28.00	3.73	38.00	7.55	13.00	1.76	19.00	2.82		
Settlements		0.00	0.00	0.00	0.00	0.00	0.00	7.00	0.95	5.00	0.74		
Set		0.00		28.00		82.00		52.00	7.03				
4y	Total Settelements(E)		0.00		3.73		16.30			55.00	8.16		
Waterbody	Waterbodies(F)	22.00	8.37	1.00	0.13	29.00	5.77	20.00	2.70	18.00	2.67		
Wat	Grand Total	263.00	100.00	751.00	100.00	503.00	100.00	740.00	100.00	674.00	100.0		

Table-2 STATUS OF LAND RECLAMATION IN CCL BASED ON SATELLITE DATA OF THE YEAR 2011

Table 2 STATUS OF	F LAND RECLAMATION IN	CCL PASED ON SAT	FUTTE DATA OF TH	E VEAD 2011
Table-2 STATUS UT	LAND RECEAVATION IN	CCL DASED ON SAL	ELLITE DATA OF TH	L ILAK 2011

	Table-2		0.0011		(Area in Hecta														rea in Hectare)
			and the second second																TAL
n Dense Fo	orest	Area 0.00	× 0.00	Area 0.00	× 0.00	Area 0.00	× 0.00	Area 0.00	× 0.00	Area 40.22	14.36	Area 1.14	× 0.46	Area 4.79	× 1.05	Area 5.64	2.18	Area 119.79	2.21
Dense Fo			2.09	4.44	0.86	0.00	0.00	22.77	11.05		17.91	9.01	3.64	22.53	4.93				10.53
e openito.		5.07								50.16						19.13	7.39	570.11	
<u>и</u>	Total Forest	5.07	2.09	4.44	0.86	0.00	0.00	22.77	11.05	90.37	32.28	10.15	4.10	27.32	5.98	24.77	9.57	689.89	12.74
Scrubs		60.51	24.89	123.53	23.90	118.38	43.05	82.50	40.05	34.16	12.20	57.97	23.41	77.15	16.89	60.24	23.29	1644.44	30.37
জ Social Fo	prestry	0.00	0.00	0.00	0.00	8.72	3.17	0.01	0.00	9.27	3.31	4.93	1.99	1.90	0.42	0.78	0.30	49.61	0.92
E and a second	on on OB Dump	8.01	3 30	5.37	1.04	0.00	0.00	6 34	3.08	0.00	0.00	7.63	3.08	0.93	0.20	0.40	0.15	211.68	3.91
2	on on Backfill	0.00	0.00	0.00	0.00	6.49	2.36	1.26	0.61	23.22	8.29	0.67	0.27	0.98	0.20	0.00	0.00	32.62	0.60
2	antation (Biological Reclamation)	8.01	3.30	5.37	1.04	15.20	5.53	7.61	3.69	32.48	11.60	13.23	5.34	3.81	0.83	1.18	0.46	293.89	5.43
Total Ve		73.59	30.27	133.34	25.80	133.59	48.58	112.87	54.79	157.01	56.08	81.35	32.86	108.28	23.71	86.19	33.32	2628.22	48.54
Coal Qua		27,70	11.39	23.31	4.51	18.28	6.65	12.34	5.99	17.74	6.34	16.44	6.64	102.55	22.45	27.68	10,70	371.04	6.85
Coal Fac	ce and a second s	0.00	0.00	0.00	0.00	0.31	0.11	0.86	0.42	1.98	0.71	1.21	0.49	0.36	0.08	0.00	0.00	6.72	0.12
Coal Dun	mp	5.98	2.46	8.62	1.67	5.49	2.00	1.66	0.80	9.54	3.41	10.04	4.06	14.33	3.14	3.61	1.40	77.27	1.43
Advance	e Quarry Site	2.22	0.91	3.36	0.65	3.89	1.41	1.50	0.73	2.59	0.93	5.68	2.29	0.80	0.18	0.00	0.00	36.04	0.67
Quarry F	Filled With Water	7.70	3.17	3.71	0.72	4.33	1.58	13.76	6.68	0.00	0.00	14.81	5.98	22.09	4.84	0.81	0.31	67.21	1.24
Total Are	ea under Active Mining	43.60	17.94	39.00	7.54	32.30	11.75	30.12	14.62	31.85	11.39	48.18	19.46	140.13	30.68	32.10	12.41	558.28	10.31
Barren O	DB Dump	20.77	8.54	8.64	1.67	23.44	8.52	15.60	7.57	31.93	11.40	14.68	5.93	19.11	4.18	10.20	3.94	384.37	7.10
Barren B	ackfilled Area	30.86	12.69	10.34	2.00	2.84	1.03	11.31	5.49	4.79	1.71	33.71	13.62	41.72	9.13	3.85	1.49	139.42	2.57
Total Are	ea under Technical Reclamation	51.63	21.24	18.98	3.67	26.28	9.55	26.91	13.06	36.72	13.11	48.39	19.54	60.83	13.32	14.05	5.43	523.79	9.67
Waste La	ands	46.69	19.21	74.47	14.41	14.70	5.35	10.65	5.17	16.11	5.75	58.18	23.50	116.68	25.55	\$1.32	31.43	636.80	11.76
Eler Ach	Pond / Sand Body		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	0.04
		0.00																	
Total Wa		46.69	19.21	74.47	14.41	14.70	5.35	10.65	5.17	16.11	5.75	58.18	23.50	116.68	25.55	81.32	31.43	638.80	11.80
Reservoi	ir, nallah, ponds	0.34	0.14	3.94	0.76	3.09	1.12	0.44	0.21	0.96	0.34	0.78	0.32	1.45	0.32	0.34	0.13	101.34	1.87
Total Wa	aterbodies	0.34	0.14	3.94	0.76	3.09	1.12	0.44	0.21	0.96	0.34	0.78	0.32	1.45	0.32	0.34	0.13	101.34	1.87
Crop Lan	nds	13.89	5.71	47.93	9.27	32.83	11.94	20.59	10.00	5.52	1.97	0.00	0.00	1.01	0.22	10.25	3.96	280.02	5.17
Fallow La	ands	12.20	5.02	181.66	35.14	16.50	6.00	3.77	1.83	20.06	7.16	2.24	0.90	12.38	2.71	29.04	11.23	390.85	7.22
Total Ag	riculture	26.09	10.73	229.59	44.42	49.61	17.94	24.36	11.82	25.28	9.14	2.24	0.90	13.39	2.93	39.29	15.19	670.85	12.39
u Urban Se	ettlement East	0.00	0.00	0.52	0.10	9.84	3.58	0.00	0.00	7.80	2.78	1.92	0.78	0.00	0.00	0.00	0.00	127.08	2.35
Rural Set	ttlement	1.15	0.47	16.26	3.15	3.53	1.28	0.66	0.32	1.17	0.42	3.27	1.32	7.03	1.54	1.69	0.65	132.76	2.45
E Industria	al Settlement	0.00	0.00	0.80	0.15	2.35	0.85	0.00	0.00	2.79	1.00	3.28	1.32	8.96	1.96	3.72	1.44	33.90	0.63
Total Set	ttlement	1.15	0.47	17.58	3.40	25.23	9.17	0.66	0.32	11.76	4.20	8.47	3.42	15.99	3.50	5.41	2.09	303.25	5.60
Grand To	otal	243.09	100.00	516.90	100.00	275.00	100.00	206.00	100.00	280.00	100.00	247.59	100.00	456.75	100.00	258.70	100.00	5415.03	100.00

CMPDI






FIGURE – 9




FIGURE – 10