



सेंट्रल कोलफील्ड्स लिमिटेड

(भारत सरकार का एक उपक्रम)

विक्रय एवं विपणन विभाग

दरभंगा हाउस, रांची 834 029

CENTRAL COALFIELDS LIMITED

(Govt. of India Undertaking)

Sales & Marketing Department

DARBHANGA HOUSE, RANCHI

टेलीफोन/Telefax- 0651-2360369 वेबसाइट/Website- www.ccl.gov.in

संख्या: CCL/HQ/C-4/FSA/ 2022-23/ 37

दिनांक: 07/01/2023

NOTICE FOR CONSUMERS OPERATING IN DELHI-NCR (NATIONAL CAPITAL REGION)

Sub: Complete ban on Supply/ Sale/ Trading of coal in Delhi-NCR –reg.

This is for kind information to all concerned consumers taking coal from CCL that CIL vide e-mail dtd. 30.12.2022 has forwarded a communication received from the Director, CAQM (Commission for Air Quality Management) vide dtd. 26.12.2022 (**copy enclosed**) wherein it has been directed to ensure that coal is not supplied/ allotted by various coal companies of CIL to various suppliers/ stockists/ agents except Thermal Power Plants operating in Delhi-NCR in order to ensure that there is no use of coal w.e.f. 01.01.2023 in the entire region so as to comply with the directives issued by the Commission to curb the pollution in the region.

In this connection, CIL vide letter dtd. 05.01.2023 has also forwarded an Order dtd. 04-01-2023 (**copy enclosed**) from CAQM which mentions that there are no restrictions on supply of low sulphur coal to existing Captive thermal power plants in addition to Thermal Power Plants operating in NCR region.


In view of the above, supply of coal to the consumers (suppliers/ stockists/ agents) taking coal from CCL under NRS (Non-Regulated Sector) Linkage Auction FSAs (except CPPs), Spot e-Auctions, SNAs (State Nominated Agencies) which are operating in Delhi- NCR is hereby stopped. Accordingly, supply of coal from CCL to the consumers (except TPPs and CPPs) having plant/ operating at Delhi or any of below districts of NCR is hereby stopped till further orders:

State	Districts
Haryana	Faridabad, Gurugram, Nuh, Rohtak, Sonapat, Rewari, Jhajjhar, Panipat, Palwal, Bhiwani, Charkhi Dadri, Mahendragarh, Jind and Karnal
Uttar Pradesh	Meerut, Ghaziabad, Gautam Budh Nagar, Bulandshahr, Baghpat, Hapur, Shamli and Muzaffarnagar
Rajasthan	Alwar and Bharatpur

Further, the Thermal Power Plants and Captive Power Plants operating in Delhi - NCR region (districts as above) are required to submit an Affidavit-cum-Indemnity Bond to this office within **20-01-2023** affirming the compliance with the above-said directives/ orders issued by CAQM and indemnifying CCL of any obligation arising out of non-compliance of stipulations set out in directives/ orders issued by CAQM vide dtd. 26.12.2022 and 04.01.2023.

This is for kind information and compliance by all concerned please.

Encl: As above


General Manager (M&S),
CCL, Ranchi

Distribution:

1. GM(QC), CCL
2. CM (M&S/Coordination)/ (Fin./M&S), CCL, Ranchi
3. HOD (M&S-FSA/ Linkage), CIL, Kolkata
4. CM (M&S/Oprn)/ Sr. Manager (M&S/CSC), CCL, Ranchi: **with a request to arrange for implementation of above.**
5. All ASMs, CCL, Ranchi: **with a request to arrange for implementation of above.**
6. Notice Board, M&S Deptt., Ranchi

Copy for kind information to:

1. Dir. (Tech./Op.), CCL
2. GM (M&S), CIL, Kolkata
3. TS to CMD, CIL, Kolkata



सत्यमेव जयते

राष्ट्रीय राजधानी क्षेत्र और निकटवर्ती क्षेत्र
वायु गुणवत्ता प्रबंधन आयोग
Commission for Air Quality Management in
National Capital Region and
Adjoining Areas



No. 11011/1/2022-MERD/522-569(DT)

Dated: 26th December 2022

To,

Shri Pramod Agrawal, CMD
Coal India Limited
(A Maharatna Company)
Coal Bhawan Premise No-04 MAR,
Plot No-AF-III, Action Area-1A,
Newtown, Rajarhat, Kolkata-700156.

Subject: Complete Ban on Supply/Sale/Trading of Coal in Delhi-NCR - reg.

Sir,

The Central Government has constituted the Commission for Air Quality Management in NCR & Adjoining Areas by an Act of Parliament. The Commission has been mandated to take all such measures as may become necessary for protecting and improving the air quality in NCR and Adjoining Areas.

2. Industrial Pollution is one of the major sectors contributing to air pollution in NCR. Emissions from Industries and other sources due to use of polluting fuels contribute significantly to the degradation of air quality in NCR and the Adjoining Areas. For addressing this source of pollution, consistent efforts have been made including by the Commission for switching over to less polluting and cleaner fuels in NCR. You may be aware that use of coal is not permitted in NCT of Delhi for last many years.

3. As part of our attempts to use cleaner fuels for industrial applications in NCR, extensive deliberations have been held in the Commission and various statutory directions under the Act have been issued to switch to cleaner fuels. Since the concerns of air pollution are uniform across the NCR and particularly from a standard point of common airshed approach, it was felt that a unified list of approved fuels should be notified for the entire NCR.

4. It is relevant to state here that pursuant to Hon'ble Supreme Court Order dated 16/12/2021 in Writ Petition (Civil) No. 1135/2020 in the matter of 'Aditya Dubey (Minor) & Anr. V/s Union of India & Ors', 'a policy to curb air pollution in the National Capital Region' was formulated. The Policy was sent to all the Central, State, Autonomous and other agencies concerned for implementation.

5. The Policy contains sector-wise Action Plans for prevention, control and abatement of air pollution, covering all major sectors. The policy also contains targeted action plan and timelines for controlling emission generated through use of coal. As part of policy, a standard common fuel list for NCR has been finalized and circulated for adherence by all concerned.

17 वी मंजिल, जवाहर व्यापार भवन (एस. टी.सी. बिल्डिंग), टॉलस्टॉय मार्ग, नई दिल्ली-110001
दूरभाष : 011-23701213, ई-मेल : caqm-ncr@gov.in
17th Floor, Jawahar Vyapar Bhawan (STC Building), Tolstoy Marg, New Delhi-110001
Tel:011-23701213, E-mail: caqm-ncr@gov.in

6. Coal is not a permissible fuel within the NCR as per the common fuel list and under the Directions issued by the Commission. The standard fuel list has come into force w.e.f. 01/10/2022, where PNG supply is available and will come in to effect w.e.f. 01/01/2023 where PNG supply is not available. Infact the approved fuel list will be completely in force w.e.f. 01/01/2023. It may please be noted that coal is not allowed to be used in NCR except low Sulphur coal in thermal power plants.


7. The Commission, in reply to its letter dated 09.12.2022 & 16.12.2022, has received a reply from M/s CIL (with a list of entities/industries/companies which may be involved in use/acquiring/stocking/trading), intimating that the major source of coal supply in NCR for industrial usage are either through CIL/Subsidiary Companies and/or through State Nominated Authorities such as Haryana Khadi & Village Industries Board, UP Laghu Udyog Nigam Limited etc., to those allocation/FSA is being made by the Coal India Limited /subsidiary companies.

8. Considering the above facts and keeping in view the sensitivity of the subject, you are requested to take necessary action to ensure that coal is not supplied / allotted by various coal companies of CIL to various suppliers / stockists / agents of CIL operating in NCR in order to ensure that there is no use of coal w.e.f. 01/01/2023 in the entire NCR. A list of various coal suppliers / stockists / agents of CIL operating in Delhi - NCR is attached for information and necessary action as annexure-A.

9. Since the Directions issued by the Commission are statutory in nature and various coal using / supplying agencies / persons are bound to comply with the same, you are requested to take appropriate action to stop supply of coal to coal suppliers / stockists / agents of CIL in entire NCR other than for thermal power plants.

Encl: As above

Yours faithfully,



R.K. Agrawal
Director, CAQM
rk.agrawal69@gov.in
011-23446806

Copy for information and n/a to:

1. Commissioner; Infrastructure & Industrial Development, Government of Uttar Pradesh, Uttar Pradesh.
2. Additional Chief Secretary, Industries and Commerce, Government of Haryana, Haryana.
3. Commissioner, Industries & Commerce and Joint Secretary; Commissioner Industries Commerce & CSR, Government of Rajasthan, Rajasthan.
4. The Member Secretary, Uttar Pradesh State Pollution Control Board. Lucknow, UP.
5. The Member Secretary, Haryana State Pollution Control Board, Panchkula, Haryana.
6. The Member Secretary, Rajasthan State Pollution Control Board, Jaipur, Rajasthan.

17 वी मंजिल, जवाहर व्यापार भवन (एस. टी.सी. बिल्डिंग), टॉलस्टॉय मार्ग, नई दिल्ली-110001

दूरभाष : 011-23701213, ई-मेल : caqm-ncr@gov.in

17th Floor, Jawahar Vyapar Bhawan (STC Building), Tolstoy Marg, New Delhi-110001

Tel:011-23701213, E-mail: caqm-ncr@gov.in

<p>कोल इंडिया लिमिटेड विपणन निदेशालय</p> <p>कोल भवन, प्रांगण सं 04 एमएअर, प्लॉट सं - एएफ-III, एक्शन एरिया - 1ए न्यू टाउन, राजरहाट, कोलकाता- 700 156 सीआईएन: L23109WB1973GO1028844 ईमेल : gmqc@coalindia.in : cilqualitycontrol@gmail.com वेबसाइट : www.coalindia.in</p>	 <p>AN ISO 9001:2015 & ISO 50001:2011 Certified Company</p>	<p>COAL INDIA LIMITED MARKETING DIRECTORATE</p> <p>COAL BHAWAN, PREMISE NO- 04 MAR PLOT- NO -AF-III, ACTION AREA-1A, NEWTOWN, RAJARHAT, KOLKATA -700 156 Ph:033-23244214,Fax: 033-23244229 CIN: L23109WB1973GO1028844 E-MAIL : gmqc@coalindia.in : cilqualitycontrol@gmail.com WEBSITE : www.coalindia.in</p>
---	---	---

Dated: 05.01.2023

CIL/CMO/Misc/13

To,
GM/ HoD (M&S),
ECL/ BCCL/ CCL/NCL/ SECL/ MCL/ WCL

Sub: Use of low Sulphur coal in Captive Power Plants (CPPs).

Dear Sir,

Under the cover of letter No. 11011/1/2022-MERD/522-569(DT) dated 26.12.2022, a list containing name and addresses of certain consumers who might be getting coal from either the subsidiary(s) or State Nominated Agency(s), was received from the Director, CAMQ, inter alia, conveying that w.e.f. 01.01.2023, coal will not be a permissible fuel in the NCR region.

For ensuring requisite compliance with the Order of the Commission for Air Quality Management in NCR & Adjoining Areas, vide mail dated 30.12.2022, subsidiaries were advised to stop coal supplies to the units/ end consumers whose names/ addresses figured in the said list & also other-wise to those which were situated within Delhi-NCR region.

Vide letter dated 02.01.2023, Director, CAQM was appraised about status of compliance, possibility of certain units located outside Delhi-NCR region and representation of UP Paper Mill Power Plant Owner Association. It was requested to intimate modification, if any, in the aforesaid list of CAQM.

A copy of Order F. No. A110018/01/2021/CAQM/11484-495 dated 04.01.2023 received from Member Secretary, Commission for Air Quality Management in NCR & Adjoining Areas on the aforesaid issue is being attached herewith for further needful actions/ requisite compliance.

Encl.: As above

Yours sincerely,

(Signature)
05/01/2023

(Vineet Singh)

CM (M&S)/ (I/c-FSA/ Linkage)

Copy for kind information to:

1. Director (Marketing), CIL
2. Executive Director (M&L), CIL
3. Member Secretary, CAQM,
Commission for Air Quality Mgt. in NCR & Adjoining Areas, N. Delhi



F. No. A110018/01/2021/CAQM/11484 - 495

Dated: 4th January, 2023

ORDER

Subject: - Use of low sulphur coal in Captive Power Plants (CPPs).

The Commission vide. Direction No. 65, dated 23.06.2022 has directing for implementing a standard list of approved fuels for NCR for various applications, including industrial use.


2. As per the approved fuel list for entire NCR, coal with low sulphur is a permissible fuel only for thermal power plants (TPPs) and accordingly also for the captive thermal power plants (CPPs) operating in the NCR. It however needs to be ensured that emission Standards and related Directions, Orders etc. as applicable to the thermal power plants, are followed scrupulously even for the captive power plants. Accordingly, the Captive TPPs in NCR must adhere to the emission standards as stipulated in the MoEFCC Notification dated 07.12.2015 and related amendments & Directives issued from time to time.

3. It is to further emphasize that, along with low sulphur coal, such Captive TPPs are also under statutory directions for co-firing of biomass at least @ 5-10 % of their requirements coal and are thus required to ensure adequate steps for developing mechanism for continual procurement of biomass pellets throughout the year, for ensuring the requisite levels of co-firing.

4. As the deadline for adoption of clean/ approved fuels in entire NCR was 31.12.2022, vide Commission's letter dated 26.12.2022, Coal India Limited (CIL) was advised to ensure stoppage of supply/sale/trading of coal in entire NCR to various industrial entities/units and other commercial organizations, except for thermal power plants (TPPs). This exception is accordingly applicable to Thermal Power Plants including captive thermal power plants

Contd..2/-

in the NCR. It is, therefore, clarified that there are no restrictions on supply of low sulphur coal to Thermal Power Plants including existing Captive Thermal Power Plants in the NCR.



(Arvind Nautiyal)
Member Secretary

To

1. CMD, Coal India Limited, Kolkata.
2. Member Secretary, UP State Pollution Control Board.
3. Member Secretary, Haryana State Pollution Control Board.
4. Member Secretary, Rajasthan State Pollution Control Board.
5. Member Secretary, Delhi Pollution Control Committee.

Copy to:

1. Chairman, UP State Pollution Control Board.
2. Chairman, Haryana State Pollution Control Board.
3. Chairman, Rajasthan State Pollution Control Board.
4. Chairman, Delhi Pollution Control Committee.
5. Addl. Secretary, Ministry of Environment, Forest and Climate Change, New Delhi.
6. Chairman, CPCB, New Delhi.


(Rajesh Kumar)
Director, CAQM